GEOMETRIE COMPONIBILI


Handmade Tiles for the Modern Living.





INDEX

About	05
Handmade	07
Collection	11
Exploring Patterns	36
Colour Palette and Field Tiles	53
Technical Support	61
Commercial Support	67
Contacts	74




ABOUT

Geometrie Componibili

Inspired by the "Architecture of Colour", Geometrie Componibili is a ceramic tile collection handmade from natural clays and screen-printed with unique colours.

The collection presents 9 designs, availables in different curated colour combinations.

Every tile measures 16x16x1 cm and you can mix and match designs and colours in any combination you wish.




HANDMADE

Handmade Screen-printed Glazed Terracotta

Handmade from natural clays,
our tiles are characterized by countless hues,
unique nuances and particular
shading details.
The small imperfections are the character that
makes each piece unique.


Geometrie Componibili Tile Collection is suitable for most interior and exterior applications, including residential and commercial walls, counters, showers, bathrooms, swimming pools, spas and fountains.



GEOMETRIE COMPONIBILI COLLECTION

Layout composition of Geometrie Componibili Collection and Natural Bisque tiles.

Lisbon, 2019. Photo by Ludovica De Feo



COLLECTION

Nine designs, infitive colourways.

Choose from our curated colourways, or make your own with our 18 unique screen-printed colours.





CENTINA 16 x 16 x 1 cm



ABACO 16 x 16 x 1 cm



ARCO 16 x 16 x 1 cm



OBELISCO 16 x 16 x 1 cm



CAPITELLO 16 x 16 x 1 cm



LUNETTA 16 x 16 x 1 cm




AGORA 16 x 16 x 1 cm



ABSIDE 16 x 16 x 1 cm



ESEDRA 16 x 16 x 1 cm






CENTINA | CEN.010 16 x 16 x 1 cm



ABACO | ABA.010 16 x 16 x 1 cm



ARCO | ARC.010 16 x 16 x 1 cm



OBELISCO | OBE.010 16 x 16 x 1 cm



CAPITELLO | CAP.010 16 x 16 x 1 cm



LUNETTA | LUN.010 16 x 16 x 1 cm



AGORA | AGO.010 16 x 16 x 1 cm




ABSIDE | ABS.010 16 x 16 x 1 cm



ESEDRA | ESE.010 16 x 16 x 1 cm

CAPITELLO




Suitability Walls, kitchens, bathrooms, showers, swiming pools, facades

Size 16x16 cm

Thickness 1 cm


39 tiles Tiles per square mt.

COLOURS PROPOSALS




CAP.001

C101 Caffelatte C304 Iris Deco C201 Autumn Sun



CAP.006

C402 Sage Green C101 Caffelatte C302 Flamenco Red




CAP.002

C100 Vintage Sand C401 Green Bay C301 Antique Blush



CAP.007

C500 Acquamarina C100 Vintage Sand C302 Flamenco Red



CAP.003


C101 Caffelatte C303 Raspberry Wine C503 Malibu



CAP.008

C201 Autumn Sun C301 Antique Blush C304 Iris Deco

16




CAP.004

C301 Antique Blush C501 Oltremare C503 Malibú



CAP.009

C503 Malibu C100 Vintage Sand C201 Autumn Sun



CAP.005


C502 Midnight Blue C500 Acquamarina C400 Green Salt




CAP.010

C001 Space Black C100 Vintage Sand C103 Caramel Ice


LAYING SCHEMES



Layout 1



Layout 2




Layout 3

CHOOSE YOUR COLOURS:

https://www.elisapassino.com/ceramic-tiles-colour-palette

ABACO




Suitability	Walls, kitchens, bathrooms,
	showers, swiming pools, facades

Size 16x16 cm

Thickness 1 cm


39 tiles Tiles per square mt.

COLOURS PROPOSALS




ABA.001

C101 Caffelatte C102 Dust Gray C201 Autumn Sun




ABA.006

C402 Sage Green C101 Caffelatte C302 Flamenco Red




ABA.002

C100 Vintage Sand C401 Green Bay C301 Antique Blush



ABA.007

C500 Acquamarina C100 Vintage Sand C302 Flamenco Red



ABA.003


C101 Caffelatte C303 Raspberry Wine C503 Malibu



ABA.008

C201 Autumn Sun C301 Antique Blush C304 Iris Deco

18



ABA.004

C301 Antique Blush C501 Oltremare C503 Malibú




ABA.009

C503 Malibu C100 Vintage Sand C201 Autumn Sun



ABA.005


C201 Autumn Sun C500 Acquamarina C400 Green Salt




ABA.010

C001 Space Black C100 Vintage Sand C103 Caramel Ice


LAYING SCHEMES



Layout 1



Layout 2




Layout 3

CHOOSE YOUR COLOURS:

https://www.elisapassino.com/ceramic-tiles-colour-palette

ARCO



Suitability	Walls, kitchens, bathrooms,
	showers, swiming pools, facades

Size 16x16 cm

Thickness 1 cm

39 tiles Tiles per square mt.

COLOURS PROPOSALS



ARC.001

C101 Caffelatte C102 Dust Gray C201 Autumn Sun



ARC.006

C402 Sage Green C101 Caffelatte C302 Flamenco Red




ARC.002

C100 Vintage Sand C401 Green Bay C301 Antique Blush



ARC.007

C500 Acquamarina C100 Vintage Sand C302 Flamenco Red



ARC.003

C101 Caffelatte C303 Raspberry Wine C503 Malibu



ARC.008

C201 Autumn Sun C301 Antique Blush C304 Iris Deco



ARC.004

C301 Antique Blush C501 Oltremare C503 Malibú



ARC.009

C503 Malibu C100 Vintage Sand C201 Autumn Sun



ARC.005


C502 Midnight Blue C500 Acquamarina C400 Green Salt



ARC.010


C101 Caffelatte C100 Vintage Sand C103 Caramel Ice


LAYING SCHEMES



Layout 2

Layout 1






Layout 3

Layout 4

CHOOSE YOUR COLOURS:

https://www.elisapassino.com/ceramic-tiles-colour-palette

OBELISCO



Suitability Walls, kitchens, bathrooms, showers, swiming pools, facades

Size 16x16 cm

Thickness 1 cm

Tiles per square mt. 39 tiles

COLOURS PROPOSALS




OBE.001

C101 Caffelatte C503 Malibú C201 Autumn Sun




OBE.006

C402 Sage Green C101 Caffelatte C302 Flamenco Red




OBE.002

C100 Vintage Sand C401 Green Bay C301 Antique Blush



OBE.007

C500 Acquamarina C100 Vintage Sand C302 Flamenco Red



OBE.003

OBE.008

C101 Caffelatte C303 Raspberry Wine C503 Malibu



OBE.004

C301 Antique Blush C501 Oltremare C503 Malibú




OBE.005

C502 Midnight Blue C500 Acquamarina C201 Autumn Sun



OBE.009


C201 Autumn Sun C503 Malibu
C301 Antique Blush C100 Vintage Sand
C304 Iris Deco C201 Autumn Sun




OBE.010

C101 Caffelatte C100 Vintage Sand C103 Caramel Ice


LAYING SCHEMES



Layout 1



Layout 2




Layout 3

CHOOSE YOUR COLOURS:

https://www.elisapassino.com/ceramic-tiles-colour-palette

ABSIDE



Suitability	Walls, kitchens, bathrooms,
	showers, swiming pools, facades

Size 16x16 cm

Thickness 1 cm

39 tiles Tiles per square mt.

COLOURS PROPOSALS



ABS.001

C101 Caffelatte C201 Autumn Sun



ABS.002

C401 Green Bay C301 Antique Blush




ABS.003

C101 Caffelatte C303 Raspberry Wine



ABS.004

C301 Antique Blush C501 Oltremare



ABS.005

C502 Midnight Blue C400 Green Salt



ABS.006

C402 Sage Green C302 Flamenco Red



ABS.007

C500 Acquamarina C100 Vintage Sand



ABS.008

C201 Autumn Sun C301 Antique Blush

24



ABS.009


C503 Malibu C100 Vintage Sand




ABS.010

C100 Vintage Sand C103 Caramel Ice


LAYING SCHEMES



Layout 1



Layout 2




Layout 3

CHOOSE YOUR COLOURS:

https://www.elisapassino.com/ceramic-tiles-colour-palette

ESEDRA



Suitability	Walls, kitchens, bathrooms,
	showers, swiming pools, facades

Size 16x16 cm

Thickness 1 cm

Tiles per square mt. 39 tiles

COLOURS PROPOSALS



ESE.001

C101 Caffelatte C201 Autumn Sun



ESE.002

C401 Green Bay C304 Iris Deco



ESE.003

C101 Caffelatte C303 Raspberry Wine



ESE.004

C301 Antique Blush C501 Oltremare



ESE.005

C502 Midnight Blue C400 Green Salt



ESE.006

C402 Sage Green C302 Flamenco Red



ESE.007

C500 Acquamarina C302 Flamenco Red



ESE.008

C201 Autumn Sun C301 Antique Blush



ESE.009


C503 Malibu C100 Vintage Sand




ESE.010

C001 Space Black C100 Vintage Sand


LAYING SCHEMES




Layout 1



Layout 2



Layout 3




Layout 4 Esedra & Capitello

CHOOSE YOUR COLOURS:

https://www.elisapassino.com/ceramic-tiles-colour-palette

AGORA



Suitability	Walls, kitchens, bathrooms, showers, swiming pools, facades
Size	16x16 cm
Thickness	1 cm
Tiles per squa	re mt. 39 tiles

COLOURS PROPOSALS




AGO.001

C101 Caffelatte C201 Autumn Sun




AGO.002

C401 Green Bay C301 Antique Blush



AGO.003

C101 Caffelatte C303 Raspberry Wine



AGO.004

C301 Antique Blush C501 Oltremare



AGO.005

C500 Acquamarina C400 Green Salt



AGO.006

C402 Sage Green C100 Vintage Sand



AGO.007

C500 Acquamarina C302 Flamenco Red



AGO.008

C201 Autumn Sun C301 Antique Blush



AGO.009


C503 Malibu C100 Vintage Sand




AGO.010

C100 Vintage Sand C103 Caramel Ice


LAYING SCHEMES



Layout 1



Layout 2




Layout 3

CHOOSE YOUR COLOURS:

https://www.elisapassino.com/ceramic-tiles-colour-palette

CENTINA




Suitability	Walls, kitchens, bathrooms, showers, swiming pools, facades

Size	16x16 cm

Thickness		1 cm

Tiles per square mt.	39 tiles
P	

COLOURS PROPOSALS



CEN.001

C101 Caffelatte C201 Autumn Sun

CEN.006

C402 Sage Green

C101 Caffelatte



CEN.007

C500 Acquamarina


C302 Flamenco Red

C401 Green Bay




CEN.002

C301 Antique Blush




CEN.003

C101 Caffelatte C303 Raspberry Wine



CEN.004

C301 Antique Blush C501 Oltremare



CEN.005

C500 Acquamarina C400 Green Salt




CEN.008





CEN.009 C503 Malibu


C100 Vintage Sand




CEN.010

C100 Vintage Sand C103 Caramel Ice


LAYING SCHEMES




Layout 1



Layout 2



Layout 3




Layout 4 Centina & Abaco

CHOOSE YOUR COLOURS:

https://www.elisapassino.com/ceramic-tiles-colour-palette

LUNETTA




Suitability	Walls, kitchens, bathrooms,			
	showers, swiming pools, facades			

Size 16x16 cm

Thickness 1 cm


Tiles per square mt. 39 tiles

COLOURS PROPOSALS




LUN.001

C101 Caffelatte C201 Autumn Sun



LUN.002

C401 Green Bay C301 Antique Blush



LUN.003

C101 Caffelatte C303 Raspberry Wine



LUN.004

C301 Antique Blush C503 Malibú



LUN.005

C502 Midnight Blue C400 Green Salt



LUN.006

C402 Sage Green C302 Flamenco Red



LUN.007

C500 Acquamarina C302 Flamenco Red



LUN.008

C201 Autumn Sun C301 Antique Blush



LUN.009


C100 Vintage Sand C201 Autumn Sun




LUN.010

C100 Vintage Sand C103 Caramel Ice


LAYING SCHEMES



Layout 1




Layout 2



Layout 3 Lunetta & Obelisco


CHOOSE YOUR COLOURS:

https://www.elisapassino.com/ceramic-tiles-colour-palette



CENTINA

Centina mural in Caffelatte and Autumn Sun CEN.001




CENTINA & ABACO


Abaco and Centina mural in Malibu, Caffelatte, Vintage Sand and Autumn Sun CEN.001 | ABA.009

EXPLORING PATTERNS


Make the most of your tiles.




ABSIDE & CENTINA
Tiles ref. CEN.009, ABS.009




ABACO Tiles ref. ABA.004




CENTINA Tiles ref. CEN.004




CENTINA & ABACO Tiles ref. CEN.004, ABA.004




CAPITELLO & ABACO Tiles ref. ABA.005, CAP.002, CAP.005




ABACO & ESEDRA Tiles ref. ABA.002, ESE.002




ESEDRA Tiles ref. ESE.002



LUNETTA & OBELISCO
Tiles ref. OBE.002, LUN.002




ESEDRA & CAPITELLO Tiles ref. CAP.002, ESE.002




CAPITELLOTiles ref. CAP.002

EXPLORING PATTERNS


Make the most of your tiles




CENTINA Tiles ref. CEN.001



ABACO & OBELISCO Tiles ref. OBE.005, ABA.005




CENTINA & ABACO Tiles ref. CEN.001, ABA.009





Tiles ref. ABS.007

38




ARCO Tiles ref. ARC.008







LUNETTA Tiles ref. LUN.004, LUN.005, LUN.0009




Tiles ref. ABA.003, ABA.006



ARCO & ABACO Tiles ref. ABA.008, ARC.008



ESEDRA Tiles ref. ESE.009




CAPITELLO & ABACO Tiles ref. CAP.006, ABA.006



LUNETTA, OBELISCO, CENTINA & ARCO

Colourful composition of Lunetta, Obelisco, Centina and Arco.

OBE.002 | ARC.009 | CEN.009 | LUN.004



ABACO & CAPITELLO

Mural composition of Capitello and Abaco in Sage Green, Caffelatte and Flamenco Red

ABA.006 | CAP.006



CENTINA & ABSIDE

Centina and Abside mural in Vintage Sand and Malibu

CEN.009 | ABS.009



ESEDRA & CAPITELLO

Capitello and Esedra design in Green Bay, Iris Deco, Antique Blush, Vintage Sand


CAP.002 | ESE.002



LUNETTA, CENTINA & ABSIDE

Mural composition in Vintage Sand, Antique Blush and Malibu

LUN.004 | CEN.009 | ABS.009




LUNETTA, CENTINA & ABACO

Mural composition in Vintage Sand, Flamenco Red and Acquamarina

51

LUN.007 | CEN.007 | ABA.007



COLOURS AND FIELD TILES

Celebrating the love for Light and Colour

Geometrie Componibili Colour Palette offers

18 different colours that you can use to
personalise every design from the
collection, or to combine plain colour
screen-printed tiles with other designs.

All designs are available in any colour
combination from our palette,
and all field tiles are available in plain colour
and natural bisque.

We can help you bring to reality your specific project or ideas, offering a service of consultancy and developing bespoken colours and layouts for your very own project.

SCREEN-PRINTED COLOUR PALETTE

COLOURS

Need a specific colour for a project? We can develop your very own.



NOTES: There may be some variation in the colours of the actual product from what appears on the screen.

Tiles are handmade, shade variation can be expected.

THE BASICS

FIELD TILES

The Basics Collection features 9 tiles formats that can be ordered in our Foundation Base, Screen-printed Colors and Natural Bisque.







SQUARE 16 x 16 x 1 cm

SQUARE 10 x 10 x 1 cm

HALF SQUARE 10 x 15 x 1 cm







TRIA M 13 x 1 cm

TRIA S 10 x 1 cm

SQUARE 5 x 5 x 1 cm








LONG 20 x 8 x 1 cm

LOSAS 6x1cm

LOSA M 10 x 1 cm




ARCO

Arco layout in Antique Blush, Autumn Sun and Iris Deco ARC.008



CAPITELLO

Capitello in Antique Blush, Autumn Sun and Iris Deco
CAP.008



LUN.004

LUNETTA

Lunetta mural in Malibu and Antique Blush

TECHNICAL SUPPORT

INSTALLATION & MAINTENANCE

Our Tile Collection is suitable for most interior and exterior applications, including residential and commercial walls, counters, showers, bathrooms, swimming pools, spas and fountains.

Because the purchase of our tiles for your home or commercial project represents an important investment, proper installation and maintenance is critical.

TILE UNDERSTANDING

It is important to understand that the differences in colour and texture are the unique characteristics that distinguish each of these tile products.

GLAZED TILES

A coloured, liquid glaze is applied to the surface of a clay body.

The tile is fired in a kiln at very high temperatures of more than 1.050 °C . The glazing process defines the colour and surface texture and produces a hard, non-porous, impermeable tile with a very low water absorption rate.

Glazed tiles are easier to clean and any liquid on its surface will drain faster.

LENGTHWISE BOWING AND SURFACE UNDULATION

Clay is an elastic material; therefore it will attempt to regain its original shape as it moves through the production process. For this reason, you can expect both an acceptable amount of lengthwise bowing and a surface undulation.

Undulation can occur anywhere on the surface and could include a slightly raised corner or edge

COLOUR AND GLAZE VARIATION

Shade variation is inherent in all fired ceramic products and certain tiles will show greater variation within their dye lots.

TILE PREPARATION

Meticulously plan your layout. The time you take for preparation and placement will greatly impact the finished result.

Inspect each tile for cracks or other deformities that make its use inappropriate for the application intended.

TILE GROUTING

We advise a grout joint (1 to 4 mm) which joins the tiles so that they touch one another with an irregular space left between tiles, created by the imperfection of the edges.

Grout joint width can be varied to adjust tile alignment with adjacent handmade tiles or other architectural elements.

Give design consideration to the grout colour as it relates to the colour of the chosen tile. There may be a desire to accentuate the tile with a border of contrasting grout colour.

To more closely connect each tile with each other, use a grout colour in a hue that approximates the colours found in the tile.

TILE INSTALLATION

INSTALL PER INDUSTRY STANDARDS FOR TERRACOTTA GLAZED TILES.

Proper substrate preparation and the right choice of adhesives and grouts for the type of tile and specific project conditions are critical for achieving a long-lasting installation. Our tiles can be installed with any conventional tiling method, using any mortars, adhesives (EN 1200 C2) and grout compounds (EN 13888) suitable for use with wall tiles.

- 1. Prepare the surface. Substrate must be clean, leveled and adequately set.
- 2. Determine the layout and mark the surface. For aesthetic and technical optimization, define starting points and cuttings.
- 3. Distribute the tiles.

- 4. Apply the proper tile adhesive 5. Install the tiles. Lay down tiles by lining them up and pressing them firmly into the adhesive. Installation is easier if you use X-shaped tile spacers.
- 6. Cut the tiles. If some tiles need to be trimmed, you can use either a snap tile cutter or a wet tile saw.
- 7. Grout the joints. Allow the adhesive to cure for about 24 hours and then fill in the joints with the selected grout, using a rubber grout float
- 8. Clean the tiles after grouting. The excess grout must be cleaned immediately with a wet sponge, rinse it often.

MAINTENANCE

Our tile is a relatively maintenance-free product that requires little continuing care beyond regular cleaning. Continued beauty and performance of our tiles is assured by following these recommendations:

- For everyday cleaning, simply use a pH-balanced natural cleaner diluted in warm water.
- To clean stubborn spots or grout joins use a stiff natural bristle brush.
- Always avoid the use of abrasive cleaning pads or products containing bleach, ammonia and paint thinner.
- Never scrub with rough materials, such as hard brushes or wire wool, which may scratch the surface.
- In cooking areas, around a stove, on counters and backsplashes, cooking oil splatters should be cleaned as soon as possible as oil may darken some tiles.

TECHNICAL INFO

SUITABILITY














Walls

Kitchen

Bathroom walls

Shower Frost
walls resistance
Passed
EN150 1054-12
standards

Swimming pool

Commercial Buildings Temperatures up to 1050°C


PHYSYCAL AND CHEMICAL CHARACTERISTICS

Technical Features	Standards	Test Results	Compliance
Determination of water	EN ISO 10545-3	14,4 %	YES
of water absorption	ASTM C 373-88	15,9 %	YES
Determination of module of rupture	EN ISO 10545-4	R = 14,8 N/mm ² S = 1066 N	YES
Determination of frost resistance	EN ISO 10545-12	Not affected	YES
Determination of chemical resistance	EN ISO 10545-13	Class A	YES
Household Chemicals Swimming Pool Salts Acids Alkali	ASTM C 650-04	Not affected	YES
Determination of resistance to staining	EN ISO 10545-14	Class 5	YES
Green Chromium Iodine Olive Oil	ASTM C 1378-04	Not affected (limit at -20°C)	YES

RECYCLING

Our glazed tiles contain 25% to 28% recycled materials, depending on the product type.

65



OBE.005 | ABA.005

OBELISCO & ABACO

Mural composition in Autumn Sun, Midnight Blue and Acquamarina

COMMERCIAL SUPPORT



Placing orders

CAN I BUY ONLINE?

We are not prepared to sell directly through our website. For ordering tiles, custom requests, pricing, lead times or other needs please email or call us so we can offer you personal assistance.

--

DO YOU SHIP INTERNATIONALLY?

Yes, we can ship our tiles worldwide. We are happy to provide a shipping quote for international orders.

--

CAN I GET SAMPLES?

Yes, we understand the importance of coordinating all the elements for your project and are happy to provide samples during your selection process.

Multiple samples can be ordered to give a sense of colour range. When you are ready to place a bespoke order, you can also provide an approved colour control sample to the factory. Our team will use your sample as a guideline but please remember there will always be colour variation.

SHOULD I ORDER EXTRA TILES?

Yes, we advise a 10% contingency on top of the minimum quantity needed. This overage allows for the possibility of breakage during installation, for greater range selection and extras in case of damage in the future. Always refer to your installer when determining quantities.

--

CAN I RETURN MY TILES?

Because we make our tile specially for you, returns are not accepted unless they are defective or damaged in shipping.

--

WHAT WOULD BE THE MINIMUM LEAD TIME FOR EMERGENCY ORDERS?

If you need materials sooner for a rush order or job completion, please call and ask for a lead time specifically for you. Although we keep a limited quantity of our most popular products on hand, we operate on a first come first served policy without discrimination. When your order is placed check with us what is the estimated lead time.

Installation and maintenance

ARE ALL YOUR TILES SUITABLE FOR ALL PURPOSES?

No. Some glazes are recommended for walls only. Some glazes are not suitable for use in swimming pools. Please contact us to get feedback on the most suitable glaze for your intended purpose.

--

WILL SETTING TILES ON A DIAGONAL REQUIRE MORE MATERIAL?

Yes, typically more material is required when tiles are set on a diagonal versus a straight-set. Please refer to your installer when determining how much material is needed.

--

WHAT SIZE DO YOU SUGGEST FOR GROUT SPACING?

Our tiles are sized to accommodate a 1 to 4 mm grout space, depending on the format. Many factors determine the size of a grout joint. It is important to discuss this with both your architect and installer and follow a jointing scheme.

--

CAN I USE YOUR TILES AROUND THE FIREPLACE? ARE THEY HEAT-RESISTANT?

Our tiles are fired in kilns at very high temperatures. They can be used in fireplace installations and will not be damaged by heat.

CAN I USE YOUR TILES IN THE SHOWER?

Yes, our tiles are suitable for wet applications. Please note that in regularly wet areas, such as showers, it is common for some tiles to darken and lighten as they become wet and then dry.

--

CAN I USE YOUR TILES IN EXTERIOR APPLICATIONS?

We do not recommend using our tile outside on horizontal surfaces. Please contact us and we will help determine the suitability of our tiles for your exterior installation.

--

IS TILING WITHOUT GROUTING POSSIBLE?

In practice, tiling without grouting is not recommended. Even for cut edge tiles, minimum 1 mm and better yet, 2 mm grouting is recommended.

--

WHAT IS THE BEST WAY TO CLEAN MY TILES?

For everyday cleaning, simply use a pH-balanced natural cleaner to care for your tiles. We do not recommend the use of any acids to clean our tiles and it is always wise to test any other cleaning methods in an inconspicuous area of your installation.

TERMS & CONDITIONS

PLACING ORDERS

Please order carefully.

- Check the product specification. Samples may be requested.
- Check the quantities. Ordering proper quantities is essential, as we cannot guarantee an exact match between batches. We recommend ordering 10% extra tiles.
- Check delivery requirements and delivery costs.
- Once production has begun, orders cannot be cancelled.

PRICES

- Prices are subject to change without notice according to cost variations.
- All product prices quoted exclude the cost of delivery and taxes.
- VAT rate is 23%.

DELIVERY

- We can arrange delivery anywhere in the world. Please contact us to request a freight quote.
- Tiles are packed in cardboard boxes, loaded on a protected and sealed pallet. Pallets are delivered on the pavement.
- Special packing for bespoke products must be quoted. Please contact us.
- Freight quotes are passed on at cost with a
 15 Euro pallet charge per pallet used.
- Delivery terms are to be considered indicative. Eventual delivery delays do not entitle customers to claim indemnity.

PAYMENT TERMS

- A 50% deposit is required to confirm your order.
- The balance is due before order release. The goods will be released immediately after the payment has been received and cleared in full.

LEAD TIMES

Nearly every product is made to order. Our lead times vary from product to product and may also be extended at certain times of the year. Nevertheless, we try to follow these timelines:

- In-stock tiles: 1 week to ship.
- Made to order tiles: 4 to 5 weeks to ship.
- Custom designed tiles: quoted on an individual basis.
- Exceptionally large quantities: quoted on an individual basis.

All lead times will be quoted on purchase order. Please contact us for stock checks.

TOLERANCE TO DIMENSIONS AND SHADES

- Tiles are referred to its nominal size, not its actual size. Due to the handcrafted nature of our products, dimensions are approximate and may be subject to a degree of inaccuracy.
- The number of tiles supplied per square meter is approximate and depends upon the suggested grout joint.
- A possible variation in shades is considered as a particularity of such products. Tiles may exhibit variations from samples and within a shipped lot.

CUSTOM PROJECTS

Please inquire us about custom developments.

- Custom projects are priced accordingly.
- Custom sizes are available for an additional charge.
- Custom glazes are subject to Run of Kiln, which may be up to 10% over original quantity.

RETURNS

Please order carefully as we cannot accept returns


Please check your products carefully on delivery.

- Any problems with quality, quantity and kind of material supplied must be reported within 7 working days of receipt of the order.
- In case of claim the buyer should put the disputed material at our disposal for any defect checking. No claim will be accepted once the material has been installed.
- Damage caused by inappropriate installation, accident, misuse or improper maintenance is not covered by our product warranty.
- Variations in colour, shade, tonality, texture and crazing are inherent characteristics of our tiles and are, therefore not considered as defects.
- Variations in facial dimensions and thickness will be allowed as per handcrafted products standards.
- Although we provide Installation and Maintenance guidelines, its liability is strictly limited to the supply of products.

Bespoke

All the designs of the collection can be recoloured into any of the colours from our palette, or with new colours developed specifically for your project.

We also offer a full design service where we will create a unique tile composition for your project.



ABA.005 | CAP.002 | CAP.005

CAPITELLO & ABACO

Mural composition in Vintage Sand, Flamenco Red and Acquamarina

Copyrights and trademark

All the content of the pages on this catalogue and on the website (including pictures, logos, photographs, copies and other materials) represent the copyright of Elisa Passino.

PH. Ludovica de Feo

For further information about the collection,
Terms and Conditions, Installation and
Mainteinance, please visit our website:
elisapassino.com

This document is intended to provide a user-friendly and informative guide for the best practice selection, preservative treatment, design and installation of our tiles to ensure product fit for purpose and performance over a range of applications, hazard exposures and design lives.

The target users would primarily be archtects, designers, builders, engineers, specifiers and other users of our tiles.

ELISA PASSINO

hello@elisapassino.com + 351 937 234 879 www.elisapassino.com